

Report No. A2210075129101001







Page 1 of 4



# **Test Report**

**Company Name** 

shown on Report

Address

Sample(s) received date

Sample(s) testing period

SHENYANG GREAT WALL FILTRATION CARDBOARD

NO.45, YALUJIANG NORTH STREET, HUANGGU

DISTRICT, SHENYANG CITY

Mar. 9, 2021

Mar. 9, 2021 to Mar. 16, 2021



Centre Testing International Pinbigo (Shanghai) Co., Ltd.

No. 1351 Wanfang Road, Minhang District, Shanghai



### **Test Report**

Report No. A2210075129101001

Page 2 of 4

Submitted sample(s) said to be (Sample(s) and its/their information are provided by the applicant)

Sample Name

Depth Filter Sheet

Material

paperboard

Sample Received Date

Mar. 9, 2021

**Testing Period** 

Mar. 9, 2021 to Mar. 16, 2021

**Test Requested** 

As specified by the client, to identify if there is asbestos in submitted

sample(s).

Approved by

Date

Mar. 16, 2021

Peng Yong Lab Manager

No. R475311651



# **Test Report**

Report No. A2210075129101001

Page 3 of 4

### Test Method(s)

Tested Item	Test Method	Tested Equipment	
Asbestos	ISO 22262-1:2012	PLM	

Test Result(s)

Sample No.	Sample Description	Substances/CAS Numbers	Results
	Powder white	Chrysotile/12001-29-5	N.A.D.
		Crocidolite/ 12001-28-4	N.A.D.
		Amosite (Grunerite)/ 12172-73-5	N.A.D.
	cardboard	Fibrous Tremolite/ 77536-68-6	N.A.D.
		Fibrous Actinolite/ 77536-66-4	N.A.D.
		Fibrous Anthophyllite/ 77536-67-5	N.A.D.

#### Remark:

-N.A.D. = No Asbestos Detected(<Limit of detection)

#### **Test Process**

#### PLM

Examined by stereo microscopy Analysed by Plorized Light Microscopy

### Explanation

- -The limit of detection of this method is defined as the detection and identification of one fibre or fibre bundle in the amount of sample examined. With appropriate matrix reduction procedures that are tailored to the nature of the sample, the limit of detection can be significantly lower than 0.1%
- -The estimated concentration(s) of the asbestos varieties detected in ranges is/are as follows: Trace (<0.1%), 0.1%-5%, 5%-50%, and 50%~100%
- -Although ISO 22262-1 specifies that, a visual estimate of the asbestos mass fraction within very broad ranges may be made, it is recognized that the accuracy and reproducibility of such estimates is very limited.
- -Even after disintegration it can be very difficult, or impossible, to detect the presence of asbestos in some asbestos-containing bulk materials using polarized light microscopy. These materials often contain milled asbestos with too small fibre diameter and length to be detected.
- -CTI Asbestos Testing Center has established strict quality assurance and supervision procedures in accordance with international standard. And the laboratory participates in the AIMS\* every year (three times per year) to confirm our proficiency.
- \*The Asbestos in Materials Scheme (AIMS) is an international inter-laboratory testing scheme, and it is managed by the Health and Safety Laboratory (HSL) which on behalf of the Health and Safety Executive (HSE) of UK.



# **Test Report**

Report No. A2210075129101001

Page 4 of 4





#### Statement:

- 1. This report is considered invalidated without approval signature, special seal and the seal on the perforation;
- 2. The Company Name shown on Report and Address, the sample(s) and sample Information was/were provided by the client who should be responsible for the authenticity which CTI hasn't verified;
- 3. The result(s) shown in this report refer(s) only to the sample(s) tested;
- 4. Without written approval of CTI, this report can't be reproduced except in full;
- 5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

\*\*\* End of report \*\*\*



