



中国认可
国际互认
检测
TESTING
CNAS L0599

检测报告

编号: SHAAF25003260912

日期: 2025 年 03 月 21 日

第 1 页, 共 3 页

客户名称: 沈阳市长城过滤纸板有限公司
客户地址: 沈阳市皇姑区鸭绿江北街 45 号

样品名称: 滤纸
制造商: 沈阳市长城过滤纸板有限公司
以上样品及信息由客户提供。

SGS 工作编号: O-SHAFL202500312563 ASH25-0009936
收样日期: 2025 年 02 月 20 日
检测周期: 2025 年 02 月 20 日 ~ 2025 年 02 月 26 日
检测要求: 根据客户要求检测。
检测方法: 见后续页。
检测结果: 见后续页。

	检测要求	说明
1	US FDA 21 CFR 176.170 - 氯仿萃取物	符合

通标标准技术服务（上海）有限公司
授权签名

刘海鹏

Helen Liu 刘海鹏
批准签署人

扫码查看在线报告



SHAAF25003260912
报告验证请访问:
check.sgsonline.com.cn



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Chemical Laboratories

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
t HL (86-21) 61402594 f HL (86-21) 61156899 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

检测报告

编号: SHAAF25003260912

日期: 2025 年 03 月 21 日

第 2 页, 共 3 页

检测结果:

检测部件外观描述:

样品序号	样品编号	SGS 样品 ID	样品描述	材料 (客户提供)
SN1	A3	SHA25-0032609-0001.C003	白色纸张	纸

备注:

- (1) mg/dm^2 = 毫克每平方米
 mg/inch^2 = 毫克每平方英寸
 $\mu\text{g}/\text{cm}^2$ = 微克每平方厘米
 mg/L = 毫克每升
 mg/kg = 毫克每千克
- (2) $^{\circ}\text{C}$ = 摄氏度
 $^{\circ}\text{F}$ = 华氏度
- (3) $<$ = 小于
- (4) RL = 报告检出限
- (5) ND = 未检出 ($<$ RL)。

US FDA 21 CFR 176.170 - 氯仿萃取物

检测方法: 参考 US FDA 21 CFR 176.170。

模拟液	检测条件	限值	单位	RL	A3	说明
50%乙醇	120°F, 24 hrs	0.5	mg/inch^2	0.1	ND	符合
8%乙醇	120°F, 24 hrs	0.5	mg/inch^2	0.1	ND	符合
正庚烷	70°F, 0.5 hr	0.5	mg/inch^2	0.1	ND	符合
蒸馏水	120°F, 24 hrs	0.5	mg/inch^2	0.1	ND	符合

除非另有说明, 参照 ILAC-G8:09/2019, 使用简单接受 ($w=0$) 的二元判定规则进行符合性判定。
除非另有说明, 此报告结果仅对检测的样品负责。本报告未经本公司书面许可, 不可部分复制。



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CTC (Shanghai) Technical Services Co., Ltd.
Chemical Laboratories

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
t HL (86-21) 61402594 f HL (86-21) 61156899 sgs.china@sgs.com

检测报告

编号: SHAAF25003260912

日期: 2025 年 03 月 21 日

第 3 页, 共 3 页

样品照片:



此照片仅限于随 SGS 正本报告使用

报告结束

SGS-CSI 技术服务有限公司 (上海) 有限公司
Chemical Laboratories Technical Services (Shanghai) Co., Ltd.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
t HL (86-21) 61402594 f HL (86-21) 61156899 sgs.china@sgs.com